



ARCHITECTURE LANDSCAPE URBAN DESIGN

Block 6 Broomhall Business Park
Wicklow
Co Wicklow
Ireland

Authorised by:
Passivhaus Institut
Dr. Wolfgang Feist
Rheinstr. 44/46
D-64283 Darmstadt



Certificate

MosArt Ltd hereby certifies the following building prototype as a

Quality Approved Passive House

Subject to achieving all specifications and standards as defined in the PHPP file titled "523 2011 02 01 Certificate PHPP"

Client: **Cathal Spellman**
Carrowmore, Loughrea, Co Galway, Ireland

Architect: **Cathal Spellman**
Pigott's Street, Loughrea, Co. Galway, Ireland

Building Services: **To be appointed at Construction Stage**

This building was designed to meet Passive House criteria as defined by the Passive House Institute. With appropriate on-site implementation, this building will have the following characteristics:

- Excellent thermal insulation and optimised connection details with respect to building physics. High thermal comfort during the summer has been considered and the heating demand or heating load will be limited to
 - **15 kWh per m² of living area and year or 10 W/m², respectively**
- A highly airtight building envelope, which eliminates draughts and reduces the heating energy demand: The air change rate through the envelope at a 50 Pascal pressure difference, as verified in accordance with ISO 9972, has to be less than
 - **0.6 air changes per hour with respect to the building's volume**
- A controlled ventilation system with high quality filters, highly efficient heat recovery and low electricity consumption, ensuring excellent indoor air quality with low energy consumption
- A total primary energy demand for heating, domestic hot water, ventilation and all other electric appliances during normal use has to be less than

120 kWh per m² of living area and year

This certificate is to be used only in combination with the associated certification documents, which describe the exact characteristics of the building.

Passive Houses offer high comfort throughout the year and can be heated with little effort, for example, by heating the supply air. The building envelope of a Passive House is evenly warm on the inside and the internal surface temperatures hardly differ from indoor air temperatures. Due to the highly airtight envelope, draughts are eliminated during normal use. The ventilation system constantly provides fresh air of excellent quality. Heating costs in a Passive House are very low. Thanks to their low energy consumption, Passive Houses offer security against energy scarcity and future rises in energy prices. Moreover, the climate impact of Passive Houses is low as they reduce energy use, thereby resulting in the emission of comparatively low levels of carbon dioxide (CO₂) and other pollutants.

issued:
MosArt Offices; 01/02/2011

Tomás O'Leary
MosArt Ltd